

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

## Glued laminated timber

for use in buildings and bridges.

Glued laminated timber and Block glued glulam made of Spruce (*Picea abies*) or Pine (*Pinus sylvestris*).  
Strength classes GL30c, GL30h, GL28c, GL28h, GL28cs, GL28hs, GL24h, GL26csMB and GL24hsMB.

Reaction to fire class D-s2, d0.

Formaldehyde class E1.

Adhesive type I according to EN 301.

placed on the market under the name or trademark of

## Holmen Wood Products AB

SE-937 80 Bygdsiljum, Sweden

and produced in the manufacturing plants

Martinsons Såg AB, Factory 1 and 2, SE-937 80 Bygdsiljum, Sweden (glued laminated timber)

Martinsons Såg AB, Factory 1 and 4, SE-937 80 Bygdsiljum, Sweden (block glued glulam)

Martinsons Såg AB, Träbroar, Kroksjön, SE-931 95 Skellefteå, Sweden (block glued glulam)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in annex ZA of the standard

## EN 14080:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

## constancy of performance of the construction product.

This certificate was first issued on 2007-12-06 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Issued by notified body 0402

The validity of this certificate can be verified on our website.



Signed by: Martin Tillander  
Reason: I am the author of this document  
Date & Time: 2021-03-04 12:35:34 +01:00

Martin Tillander

Director Product Certification

Certificate 0402-CPR-195609 | issue 8 | 2021-03-04

RISE Research Institutes of Sweden AB | Certification

Box 857, SE-50115 Borås, Sweden

+46 10 516 50 00 | [certifiering@ri.se](mailto:certifiering@ri.se) | [www.ri.se](http://www.ri.se)

123989

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE